

Half Yearly Compliance Report**2026****01 Jun(01 Oct - 31 Mar)****Acknowledgement**

Proposal Name		Expansion of Agrochemicals, Intermediates and Polymers Manufacturing Unit by M/s Gujarat Insecticides Limited at Plot No. 805/806, GIDC Estate, Ankleshwar, District Bharuch (Gujarat)-Environmental Clearance -reg.	
Name of Entity / Corporate Office		M/s Gujarat Insecticides Limited, Plot No. 805/806, GIDC Estate, Ankleshwar, District Bharuch (Gujarat)	
Village(s)		N/A	
District		BHARUCH	
Proposal No.	IA/GJ/IND2/61482/2017	Category	Industrial Projects - 2
Plot / Survey / Khasra No.	N/A	Sub-District	N/A
State	GUJARAT	Entity's PAN	*****8436D
MoEF File No.	IA-J-11011/3/2017-IA-II(I)	Entity name as per PAN	GUJARAT INSECTICIDES LIMITED

Compliance Reporting Details

Reporting Year	2026
Remarks (if any)	EC Compliance for period of (1 Oct 2025 to 31 Mar-2026)
Reporting Period	01 Jun(01 Oct - 31 Mar)

Details of Production and Project Area

Name of Entity / Corporate Office	M/s Gujarat Insecticides Limited, Plot No. 805/806, GIDC Estate, Ankleshwar, District Bharuch (Gujarat)	
	Project Area as per EC Granted	Actual Project Area in Possession
Private	7.3084	7.3084
Revenue Land	0	0
Forest	0	0
Others	N/A	N/A
Total	7.3084	7.3084

Others Area

Sr. no	Other Name	Area Granted	Area Actual
--------	------------	--------------	-------------

Production Capacity

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	profenophos	Tons per Annum (TPA)	13/03/2027	2400	390.75	2400
2	Meta Phenoxy Benzaldehyde	Tons per Annum (TPA)	13/03/2027	6000	2138.33	6000
3	Quinalphos	Tons per Annum (TPA)	13/03/2027	2400	928.63	2400
4	Crude Pigment Violet 23	Tons per Annum (TPA)	13/03/2027	1000	219.33	600

Conditions

Specific Conditions

Sr.No.	Condition Type	Condition Details
1	Statutory compliance	Consent to Establish/ Operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974.

PPs Submission: Complied

Consent to Establish for the project is obtained from the State Pollution Control Board on date 26th August 2019 as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act 1974. CTO amendment no. AWH: 115888 is valid up to 13.03.2022. Renewal CCA granted by GPCB on dated 19.12.22 with Consent No. AWH-120305 which is valid up to 13.03.27. Unit had applied for CCA amendment and granted on 06.01.25 and valid up to 13.03.27 Copy of CCA Renewal and CCA amendment is attached as Annexure-17.

Date:
23/05/2026

2 MISCELLANEOUS

The Ministry of Environment, Forest and Climate Change has examined the proposal for environmental clearance to the project for expansion of Agrochemicals, Intermediates and Polymers manufacturing unit from the present capacity of 4180 TPA to 21650 TPA (Agrochemicals from 3830 TPA to 20600 TPA and Organic chemicals/ polymers from 350 TPA to 1050 TPA) by M/s. Gujarat Insecticides Limited at Plot No. 805/806, GIDC Estate, Ankleshwar, District Bharuch (Gujarat).

PPs Submission: Complied

Consent To Establish (CTE) for the proposed project obtained from Gujarat Pollution Control Board on Dated: 08.06.2018 and CTE Amendment No: CTE - 90532. Copy for the same is attached as Annexure 3.

Date:
23/05/2026

3 MISCELLANEOUS

The details of products are as under:-

PPs Submission: Complied

Unit has applied for the CCA amendment having application No. 194808 dated 09.06.2021. It has been granted by GPCB on date 22.11.2021 having CCA amendment No. AWH 115888 valid up to 13.03.2022. Detailed CCA renewal granted on 19.12.22 having Consent No: AWH 120305 and Valid up to 13.03.2027. CCA Amendment granted on 06.01.25 and valid up to 13.03.2027 Copy of CCA amendment and Renewed CCA is attached as Annexure No. 17 Following is the Product list.

Date:
23/05/2026

For CCA Amendment.		
4	MISCELLANEOUS	The existing land area is 73084 sq.m, no additional land will be required for the proposed expansion. Industry has developed greenbelt in an area of 11786.73 sq.m out of the total area. The estimated project cost for expansion is Rs.193.02 crore, out of which Rs. 55.75 crore will be utilized for upgradation and augmentation of environment management system. The project will provide employment for 610 persons as direct and 300 persons indirect after expansion
PPs Submission: Complied GIL undertakes to develop greenbelt in 25054.38 m2 from total plot area of 73,084 m2 in the factory premises (34 percentage). Photograph of Existing greenbelt is attached as Photograph 4. GIDC allotted us additional Plot of approximately 6201 Sq. mt. for development of green belt. GIDC allotted us additional second Plot of approximately 20000 Sq. mt. for development of green belt. COMPLIED		Date: 23/05/2026
5	MISCELLANEOUS	There are no National Parks, Wildlife sanctuaries, Biosphere reserves, Tiger/ Elephant reserves, Wildlife corridors etc. within 10 km (E) from project site. Amravati river is flowing at a distance of 6.49 km (E) from project site.
PPs Submission: Complied Gujarat Insecticide Limited is in Industrial Notified Authority Area of GIDC Ankleshwar. Hence this condition is not applicable.		Date: 23/05/2026
6	WATER QUALITY MONITORING AND PRESERVATION	Total water requirement is estimated to be 2994 cum/day, of which fresh water requirement 2152 is cum/day proposed to be met from GIDC water supply. Presently, 820 KLD of effluent (750 KLD industrial + 70 KLD domestic) is treated in ETP having primary, secondary, and tertiary treatment. Treated effluent is discharged into the underground pipeline connected to FETP of M/s. Narmada Clean Tech for final disposal in deep sea. Boiler and cooling tower blow down of 162 KLD shall be reused for washing and then sent to ETP. Additional 1027 KLD of industrial effluent generated from the expansion shall be treated in ETP and further subjected to RO. RO permeate of 842 KLD shall be recycled back to process, and RO reject shall be sent to MEE for further treatment. Further, 95 KLD of domestic effluent shall be treated in STP (110KLD) & treated water shall be utilized for green belt maintenance. 2) Total power requirement after expansion will be 3000KVA (1800 KVA + 1200 KVA), which will be sourced from DGVCL. After commencement of 3 MW Power Plant, the power supply from DGVCL shall be used only when required. The unit have two D.G set of capacities 1250 KVA & 700KVA. Additionally, two D.G sets of 1500 KVA each are proposed as standby source of electricity. Existing unit has two thermic fuel heater one fuel heater of 2 lakh kcal/hr capacity (HSD/NG) and coal/ briquette fired boiler of 10 TPH capacity. Additionally, it is proposed to have three (2 lakh kcal/hr) & two (4 lakh kcal/h) HSD/NG fired thermic fuel heaters and a coal fired boiler of 25 TPH. Steam from the boiler shall be utilized for 3 MW power plants and for process. Stack of adequate height will be provided to the heaters/ boilers/ DG sets as per CPCB norms. Alkali scrubbers/ two stage water scrubbers will be used for pollution control system.
PPs Submission: Complied Unit has applied for the CCA amendment having application no. 194808 dated 09.06.2021. It has been granted by GPCB on date 22.11.2021 having CCA amendment no. AWH 115888 valid up to 13.03.2022. Renewed CCA granted by GPCB on date 19.12.22 having Consent No: AWH 120305		Date: 23/05/2026

and Valid up to 13/03/2027. CCA Amendment for the same granted on 06.01.25 and valid up to 13.03.2027 As per the CCA Obtained, following are the details of the water consumption and wastewater generation. Water Consumption: 2602.14 KLD (Domestic 110 KLD Gardening 50 KLD Industrial 2442.14 KLD) Wastewater Generation: 1427 KLD (Domestic 95 KLD Industrial 1383.42 KLD) Mode of disposal of effluent: a. Existing Industrial wastewater from Process (95 KLD), Boiler (216 KLD), Washing (411 KLD) and Cooling (28 KLD out of 80 KLD) Total 750 KLD is treated in ETP within premises and treated wastewater (750 KLD) is being discharged to NCT Pipeline. b. Existing Remaining Industrial wastewater from Process (102 KLD) along with additional 303 KLD, Total 405 KLD will be treated in ETP followed by MEE RO. c. Effluent from Cooling tower blow down (105 KLD) and Boiler (72 KLD) will be treated in RO. d. Treated wastewater from ETP (456 KLD) along with RO Reject (52 KLD) Total 508.42 KLD will be treated in in-house MEE. MEE condensate (432 KLD) will be treated in RO. RO permeate (557 KLD) will be reused in cooling tower. e. Domestic wastewater (95 KLD) will be treated in STP (Cap. 110 KLD) and treated water will be utilized for Green Belt maintenance. 2). Existing Power requirement is 2300 KVA. Additionally, we have provided 1500 KVA D G Set for standby power. b. Currently 10 TPH boiler is in operation. Design and detailing for installation of 25 TPH is being done. 3) Unit has provided One 2 Lakh kcal/h capacity fuel heater for the proposed partial expansion. 4) Boiler stack of 30mtrs is provided with OCEMS and is under operations. Water consumption and Effluent discharge data are given as below: Month Water Consumption (KL) Effluent Discharge (KL) Oct-25 16859 11237 Nov-25 10577 11614 Dec-25 15135 9471 Jan-26 19040 9060 Feb-26 20926 5907 Mar-26 18438 5848		
7	WASTE MANAGEMENT	The solid/ hazardous waste generation and its management are as under:
PPs Submission: Complied Hazardous waste statement in Form - 4 is submitted regularly. Copy is attached as Annexure 1. Six monthly dispatch records for the period of Oct-2025 to Mar-2026 mentioned in Annexure 15.		Date: 23/05/2026
8	MISCELLANEOUS	The project/ activities are covered under category A of item 5(b) ‘Pesticides industry and pesticide specific intermediates (excluding formulation)’ and category B of item 5(f) ‘Synthetic Organic Chemicals’ of the Schedule to the Environment Impact Assessment Notification, 2006, and requires appraisal at central level by the sectoral Expert Appraisal Committee (EAC) in the Ministry.
PPs Submission: Complied Noted		Date: 23/05/2026
9	MISCELLANEOUS	The terms of reference (ToR) for the project was granted on 10th July, 2017 exempting public hearing as per Para 7(i) III. Stage (3) (i) (b) of the EIA Notification, 2006.
PPs Submission: Complied Noted		Date: 23/05/2026
10	MISCELLANEOUS	The proposal for environmental clearance (EC) was placed before the EAC (Industry-2) in its meetings held on 26-28 February, 2018 and 24-26 April, 2018 in the Ministry. The project proponent and their consultant M/s Siddhi Green Excellence Pvt Ltd presented the EIA/EMP report as per the ToR. The committee found the EIA/EMP report satisfactory and in consonance with the ToR, and recommend the proposal for environmental clearance with certain conditions.
PPs Submission: Complied Noted		Date: 23/05/2026
11	MISCELLANEOUS	Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-2), the Ministry of

		Environment, Forest and Climate Change hereby accords environmental clearance to the project for expansion of Agrochemicals, Intermediates and Polymers manufacturing unit from the present capacity of 4180TPA to 21650TPA (Agrochemicals from 3830 TPA to 20600 TPA and Organic Chemicals/ polymers from 350 TPA to 1050 TPA) by M/s Gujarat Insecticides Limited at Plot No. 805/806, GIDC Estate, Ankleshwar, District Bharuch (Gujarat), under the provisions of the EIA Notification, 2006, read with subsequent amendments therein, subject to compliance of the terms and conditions as environmental safeguards, as per Annexure.
PPs Submission: Complied Noted		Date: 23/05/2026
12	MISCELLANEOUS	The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.
PPs Submission: Complied Noted		Date: 23/05/2026
13	Human Health Environment	Total production of pesticides shall include manufacturing at least 25% of bio-pesticides.
PPs Submission: Complied Unit total production after expansion shall be 21650 TPA. As per the given condition, unit shall manufacture 25 percent of bio-pesticides depending on market demand in addition of proposed total production quantity.		Date: 23/05/2026
14	WATER QUALITY MONITORING AND PRESERVATION	As proposed by the project proponent. Zero Liquid Discharge shall be ensured for the entire unit and no waste/ treated water shall be discharged outside the premises. However, till commissioning of the proposed expansion, effluent of 750 cum/day shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, to take it to the final ETP followed by discharge into NCT pipeline conveying treated effluent into deep sea.
PPs Submission: Complied Unit kept existing discharge same (i.e. 750 KLD to FETP, M/s. Narmada Clean Tech for final disposal in deep sea.) and for the additional effluent from generating from the proposed expansion, ZLD scheme has been followed. Unit shall be a ZLD unit for proposed additional expansion for which SPCB has granted latest Consent to Establish (CTE) Amendment having CTE no 90532 dated 08/06/2018. As per latest CTE issued by SPCB dual discharge policy is only applicable for proposed effluent generation and existing discharge will remain the same. Copy of CTE amendment is attached as Annexure-3.		Date: 23/05/2026
15	Statutory compliance	Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016, Solid Waste Management Rules, 2016 shall be obtained and the provisions contained in the Rules shall be strictly adhered to.
PPs Submission: Complied Arrangements for storage, handling and disposal of hazardous wastes made in compliance to the conditions of Hazardous Waste Authorization as granted by GPCB. The company has taken membership of the common TSDF site of M/s. BEIL Infrastructure Ltd. M/s. Safe Enviro Pvt. Ltd. Magnad and regularly sending the hazardous waste for disposal through XGN, system generated		Date: 23/05/2026

Manifest system and through GPS mounted vehicle.		
16	AIR QUALITY MONITORING AND PRESERVATION	National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21st July, 2010 and amended from time to time shall be followed.
PPs Submission: Complied Complied.		Date: 23/05/2026
17	AIR QUALITY MONITORING AND PRESERVATION	To control sources and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.
PPs Submission: Complied We have provided online monitoring system to control the fugitive emissions like Cl ₂ , Br ₂ and Hydrocarbons. Unit has stacks of adequate height for the gaseous emissions as per CPCB/SPCB guidelines. Details of process stacks and flue gas stack are attached as Annexure 12. Analysis of stack monitoring carried out through NABL and MoEF and CC approved Laboratory (M/s. Kadam Enviro) on date 25.03.26 Report of the same is attached as Annexure 20 Results of the monitoring on 29.07.25 is as below. Results of Process stack: Parameter Unit 9155 (Process Vessel) PL -c 29.07.25 36251 (Process Vessel) PL - E 29.07.25 SO ₂ mg/nm ³ 9.42 Cl ₂ mg/nm ³ 0.076 HBr mg/nm ³ Bromine mg/nm ³ - ND HCl mg/nm ³ 1.57 Results of Flue gas stack (Boiler): Parameter Unit Boiler 36250 (29.07.25) PM mg/nm ³ 68 SO ₂ ppm 69.66 NO _x ppm 21.67		Date: 23/05/2026
18	MISCELLANEOUS	Solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled brine condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) The condensers shall be provided with sufficient HTA and residence time so as to achieve more than 95% recovery. (d) Solvents shall be stored in a separate space specified with all safety measures. (e) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (f) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses. (g) All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.
PPs Submission: Complied Solvent management carried out as follow: a) Reactor is connected with chilled brine condenser system for the efficient solvent recovery. b) Mechanical seal is provided to prevent leakage for all solvent handling pumps and reactors . c) Solvents have more than 95 percentage recovery. Please refer Annexure No 10 d) Separate Solvent Storage Tank Farm is provided and its approval by PESO. License No. P/HQ/GJ/15/358 (P9961). As per Photograph 1 and Annexure 11 e) Double earthing (at 180 degree) is provided for all electrical equipment wherever solvent handling is done photograph attached as per Photograph 2. f) Entire plant is flame proof. The solvents storage tanks are provided with breather valve to prevent solvent losses. As per Photograph 3 g) Solvents at our site are having boiling points in the range of 65 to 85 deg. C. Hence vent condenser is not required. However, we have provided the vents with flame arrestor and water seal.		Date: 23/05/2026
19	Statutory compliance	Total fresh water requirement shall not exceed 2152 cum/day to be met from GIDC water supply. Prior permission in this regard shall be obtained from the concerned regulatory authority.
PPs Submission: Complied Total fresh water requirement shall not exceed 2152 cum/day. Water Consumption Detail is as below: Month Water Consumption (KL/M) Water Consumption (KLD) Oct-25 16859 562 Nov-25 10577 353 Dec-25 15135 594 Jan-26 9040 301 Feb-26 20976 699 Mar-26 18438 614 Complied		Date: 23/05/2026
20	WATER QUALITY MONITORING AND	Industrial/ trade effluent shall be segregated into High COD/TDS and Low COD/TDS effluent streams. High TDS/COD shall be passed

	PRESERVATION	through stripper followed by MEE and AFTD (agitated thin film drier). Low TDS effluent stream shall be treated in ETP/RO to meet the prescribed standards.
PPs Submission: Complied Stream wise segregation for high COD/TDS and low COD/TDS is provided as per the CREP guidelines. And treatment for the same is carried out. For treatment of high COD/TDS effluent streams, MEE and RO is provided.		Date: 23/05/2026
21	WATER QUALITY MONITORING AND PRESERVATION	Process effluent/any wastewater shall not be allowed to mix with storm water. Storm water drain shall be passed through guard pond.
PPs Submission: Complied To avoid the contamination of storm water with process effluent, separate storm water drain is provided. Complied		Date: 23/05/2026
22	Risk Mitigation and Disaster Management	Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. flame arresters shall be provided on tank farm and solvent transfer through pumps.
PPs Submission: Complied Flame arrester is provided. Complied		Date: 23/05/2026
23	WASTE MANAGEMENT	Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.
PPs Submission: Complied Process organic residue and spent carbon sent to cement companies (M/s. Shree Cement) for co-processing. Agreement for the same has been done. ETP sludge has been sent to GPCB approved TSDF site for which we have valid membership. Disposal details are attached as per Annexure 15. Complied		Date: 23/05/2026
24	Statutory compliance	The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules. 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.
PPs Submission: Complied MSIHC Rule and Motor vehicle act followed strictly. Complied		Date: 23/05/2026
25	WASTE MANAGEMENT	Fly ash should be stored separately as per CPCB guidelines so that it should not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by following along with the storm water. Direct exposure of workers to fly ash & dust should be avoided.
PPs Submission: Complied Fly ash has been stored separately as per CPCB guidelines. And sent to GPCB approved brick manufacturer. Agreement has done for the same. Copy of agreement is attached as Annexure 18 Complied		Date: 23/05/2026
26	MISCELLANEOUS	The company shall undertake waste minimization measures as below:- (a) Metering and control of quantities of active ingredients to minimize waste. (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system

		into batch reactors. (e) Venting equipment through vapor recovery system. (f) Use of high pressure hoses for requirement clearing to reduce wastewater generation.	
	PPs Submission: Complied a) All the active ingredients are charged by measuring weight or volume to minimize waste. b) Reuse of by-products from the process is implemented. For example Bromine recovered from the Potassium bromide is recycled as raw material. Other By-products like PAC powder manufacture from aluminum chloride solution , potassium chloride are sold to GPCB approved end users for the recycling. c) Automated filling system is Provided to minimize the spillages d) Closed feed System in Batch Process reactors are provided e) Venting equipment through vapor recovery is provided. f) Closed transferring system provided for hazardous chemical and solvents.		Date: 23/05/2026
27	GREENBELT	The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery, in downward wind direction, and along road sides etc. selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.	
	PPs Submission: Complied As per the CPCB guidelines in consultation with the State Forest Department, Plantation is carried out at periphery of the project area and along roadsides. Complied		Date: 23/05/2026
28	Corporate Environmental Responsibility	At least 0.75% of the total project cost shall be allocated for Corporate Environment Responsibility (CER) and item-wise details along with the time bound action plan shall be prepared and submitted to the Ministry's Regional Office.	
	PPs Submission: Complied CER/CSR activity carried out. Details as per Annexure -4		Date: 23/05/2026
29	Noise Monitoring & Prevention	For the DG sets, emissions limits and the stack height shall be in conformity with the extant regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling the noise pollution	
	PPs Submission: Complied For the DG set, stack height provided according to the CPCB guidelines. Stack monitoring of DG set carried out through NABL and MoEF and CC approved Laboratory. Acoustic enclosure provided for the DG set to control the noise pollution. Complied		Date: 23/05/2026
30	Risk Mitigation and Disaster Management	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.	
	PPs Submission: Complied Company has installed Fire Hydrant system and network for the protection of possible hazards during the manufacturing process and material handling. Firefighting system as per the norms. COMPLIED		Date: 23/05/2026
31	Statutory compliance	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	
	PPs Submission: Complied A registered medical practitioner carries out the Occupational Health Surveillance of the workers every six months and the records are maintained in prescribed form as per the Factories Act. Sample of records as per Annexure 5.		Date: 23/05/2026
32	Statutory compliance	Continuous online (24x7) monitoring system for stack emissions	

		and the effluent shall be installed for measurement of flow/discharge and the pollutants concentration, and the emission and effluent monitoring data to be transmitted to the CPCB and SPCB server as per the directions of CPCB in this regard.
PPs Submission: Complied Continuous online (24x7) monitoring system for stack emissions. Details of various online meters are given as below; Sr. No. Parameters No. of Sensor Location Remarks 1 HCl Cl2 01 MPB process Two stage scrubber is provided 2 HBr 01 MPB process 3. TOC, TSS, COD, BOD, Temperature, Flow, pH 1 ETP plant Transmitted to the CPCB servers 4. SO2,PM, NOx 1 Boiler ESP Photograph of Detectors attached in annexure		Date: 23/05/2026
General Conditions		
Sr.No.	Condition Type	Condition Details
1	MISCELLANEOUS	The project authorities shall adhere to the stipulations made by the State Pollution Control Board, Central Pollution Control Board, State Government and any other statutory authority.
PPs Submission: Complied The Management of M/s. Gujarat Insecticides Limited is totally committed to fulfilling its environmental responsibilities including compliance to the stipulations and conditions of GPCB and other government authorities. COMPLIED		Date: 23/05/2026
2	MISCELLANEOUS	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry of clearance, a fresh reference shall be made to the Ministry to assess the adequacy of condition imposed and to add additional environmental protection measures required, if any.
PPs Submission: Complied The unit is committed and agree to this condition.		Date: 23/05/2026
3	AIR QUALITY MONITORING AND PRESERVATION	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.
PPs Submission: Complied /s Kadam Environmental Consultants is carrying out Ambient air monitoring at 3 Locations on Dated 18/03/2026 (MoEF and CC approved Laboratory). Results of the monitoring carried out on 24.03.26 is as below: 1) Near Boiler 2) Near Admin Block 3) At Canteen Terrace Analysis report attached in annexure		Date: 23/05/2026
4	AIR QUALITY MONITORING AND PRESERVATION	The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed.
PPs Submission: Complied COMPLIED Analysis report of AAQM is attached as Annexure-6.		Date: 23/05/2026
5	Noise Monitoring & Prevention	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustics hoods, silencers, enclosures etc. on all sources of

		noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
PPs Submission: Complied M/s. Kadam Environmental Consultants is carrying out Noise Level monitoring at 11 Locations dated: 18.03.2026. (MoEF and CC approved laboratory). Results of Monitoring carried on 18.03.2026 as below. All the readings are within standards.. Locations Results in dB(A) Day 06:00 AM to 10:00 PM Night (10:00 PM to 06:00 AM) Result Limit Result Limit Plant A (GF) -- -- -- -- Plant B (GF) 59.3 75 54.8 70 Plant B (FF) 62.3 75 59.8 70 Plant C (GF) 62.3 75 61.3 70 Plant C (FF) 58.9 75 57.3 70 Plant H 57.8 75 56.8 70 Nr. Admin Office 52.3 75 53.2 70 Near ETP 66.7 75 65.3 70 Near Boiler 67.8 75 65.8 70 As per the noise results shown above, at all locations noise level conform to the standards prescribed under EPA Rules, 1989 viz. 75 dB(A) (daytime) and 70 dB(A)(nighttime) Analysis Report of Noise Level Monitoring is attached as Annexure-7 COMPLIED		Date: 23/05/2026
6	MISCELLANEOUS	The company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.
PPs Submission: Complied Rain water harvesting implemented in company residential colony. Photograph of the rainwater harvesting system is attached as Photograph 6. Rainwater harvesting system from rooftop of Non-process area in the company premises installed. Photographs of the same is attached as Photograph No 6.		Date: 23/05/2026
7	Human Health Environment	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
PPs Submission: Complied Training is imparted to all employees on safety, health aspects of chemicals handling its standard SOP is attached which is followed, and competent person of safety dept. imparts training. As per Annexure 8 We have Integrated Management System (ISO:9001, ISO: 14001 and ISO 45001) and EnMS 50001 Pre-employment and routine periodical medical examinations (Every Six Month) carried out on regular basis for all employees, Photograph of safety training as per below: COMPLIED		Date: 23/05/2026
8	Statutory compliance	The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.
PPs Submission: Complied For the advance treatment of effluent, we have commissioned MEE and RO. Condensate of the same used in process plant to reduce the fresh water consumption. . COMPLIED		Date: 23/05/2026
9	Corporate Environmental Responsibility	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding areas. CER activities shall be undertaken by involving local villages and administration.
PPs Submission: Complied CER/CSR activity report is attached in Annexure-4		Date: 23/05/2026
10	Corporate Environmental	The company shall undertake eco-developmental measures

	Responsibility	including community welfare measures in the project area for the overall improvement of the environment.
PPs Submission: Complied CER/CSR activity report is attached in Annexure-4		Date: 23/05/2026
11	MISCELLANEOUS	A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.
PPs Submission: Complied Environment Management Cell has set up in compliance with the requirement We have full fledged laboratory for monitoring environment functions and Performance. Objective of cell as: Review of ETP performance Status and implementation of action plan Abnormal operations and corrective action Discussion on various ideas to achieve cleaner production techniques for up-gradation of environment Review of structured training program. Note: The cell meets periodically to review the performance of environment up gradation issues and implementation plans. As per Annexure 9 COMPLIED		Date: 23/05/2026
12	MISCELLANEOUS	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.
PPs Submission: Complied Noted		Date: 23/05/2026
13	MISCELLANEOUS	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/ Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.
PPs Submission: Complied Company is located in notified area. Hence, this condition is not applicable.		Date: 23/05/2026
14	Statutory compliance	The project proposal shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status reports shall be posted on the website of the company.
PPs Submission: Complied We are submitting six monthly EC report regularly. Our six monthly report for EC order no. IA-J-11011/3/2017-IA-II(I), Date:29thAugust 2018 is submitted on timely and Soft copy of the same has uploaded on Parivesh Portal. and also posted on the website regularly. and Submitted to respective Regional Office of MoEF and CC through E Mail Also. Complied.		Date: 23/05/2026
15	Statutory compliance	The environmental statement for each financial year ending 31stMarch in Form-v as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also

		be sent to the respective Regional Offices of MoEF & CC by e-mail.
PPs Submission: Complied The Environmental Statement for each financial year ending on 31st March in Form-V has been submitted to the concerned SPCB as per prescribed under the Environment (Protection) Rules-1986. Copy is attached as per Annexure - 2 Complied		Date: 23/05/2026
16	MISCELLANEOUS	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at http://moef.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
PPs Submission: Complied Grant of Environment Clearance vide letter no. IA-J-11011/3/2017-IA-II(I) dated 29-08-2018 was advertised in local newspapers- 1 The Gujarat Samachar in Gujarati on 19-09-2018. 2 The Times of India in English on 19-09-2018. Scanned copy of paper pages are made available. Complied		Date: 23/05/2026
17	MISCELLANEOUS	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
PPs Submission: Agreed to Comply Noted		Date: 23/05/2026
Visit Remarks		
Last Site Visit Report Date:		N/A
Additional Remarks:		
Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.		